antibodies .- online.com







anti-VARS antibody (Middle Region)

Images

Publications



\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	VARS
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Rabbit, Cow, Horse, Dog, Guinea Pig, Zebrafish (Danio rerio), Saccharomyces cerevisiae
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VARS antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Duadout Dataila	

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human VARS
Sequence:	VFDEFVDMDF GTGAVKITPA HDQNDYEVGQ RHGLEAISIM DSRGALINVP
Predicted Reactivity:	Cow: 100%, Dog: 93%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Yeast: 86%, Zebrafish: 86%
Characteristics:	This is a rabbit polyclonal antibody against VARS. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target: **VARS**

Target Details

Alternative Name:	VARS (VARS Products)
Background:	Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino acid
	Because of their central role in linking amino acids with nucleotide triplets contained in tRNAs,
	aminoacyl-tRNA synthetases are thought to be among the first proteins that appeared in
	evolution. VARS belongs to class-I aminoacyl-tRNA synthetase family and is located in the
	class III region of the major histocompatibility complex.Aminoacyl-tRNA synthetases catalyze
	the aminoacylation of tRNA by their cognate amino acid. Because of their central role in linking
	amino acids with nucleotide triplets contained in tRNAs, aminoacyl-tRNA synthetases are
	thought to be among the first proteins that appeared in evolution. The protein encoded by this
	gene belongs to class-I aminoacyl-tRNA synthetase family and is located in the class III region
	of the major histocompatibility complex. Publication Note: This RefSeq record includes a
	subset of the publications that are available for this gene. Please see the Entrez Gene record to
	access additional publications.
	Alias Symbols: G7A, VARS2, VARS1
	Protein Interaction Partner: CALCOCO2, SUMO2, SART3, STAU1, UBC, EED, CCT4, KNTC1,
	AIMP1, CCT3, QARS, EEF1G, EEF1D, EEF1B2, FBXO6, YWHAQ, MAPK11, VCAM1, ITGA4, FN1,
	LARS, CAD, UBD, SHC1, CUL3, CDK2, CHD7, CACNA1A, ATG101, OTUD5, DMWD, EEF1A1,
	EEF1A2, TRAF6, TFE3, HLA-B, EPB41,
	Protein Size: 1264
Molecular Weight:	140 kDa
Gene ID:	7407
NCBI Accession:	NM_006295, NP_006286
JniProt:	P26640
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 1264 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Handling


Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Publications

Product cited in:

Suzuki, Fujisawa, Ando, Niino, Ohsawa, Shimokata, Ohta: "Alcohol dehydrogenase 2 variant is associated with cerebral infarction and lacunae." in: **Neurology**, Vol. 63, Issue 9, pp. 1711-3, (2004) (PubMed).

Images



Western Blotting

Image 1. WB Suggested Anti-VARS Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: 721_B cell lysate VARS is strongly supported by BioGPS gene expression data to be expressed in Human 721_B cells

VARS Witochondria WARS118kDa


See Immunoblot 2 Data and Customer Feedback tab for more information.

Western Blotting

Image 2. WB Suggested Anti-VARS Antibody

Titration: 1 ug/ml

Positive Control: Wildtype Neurospora crassa



Immunohistochemistry

Image 3. VARS antibody - middle region Formalin Fixed Paraffin Embedded Tissue: Human Lung Tissue Observed Staining: Cytoplasm of pneumocytes Primary Antibody Concentration: 1:100 Other Working Concentrations: 1/600 Secondary Antibody: Donkey anti-Rabbit-Cy3 Secondary Antibody Concentration: 1:200 Magnification: 20X Exposure

Time: 0.5 - 2.0 sec