

# Datasheet for ABIN2782711 anti-CRTAP antibody (N-Term)

# 1 Image



#### Overview

O V CI VIC VV	
Quantity:	100 μL
Target:	CRTAP
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CRTAP antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human CRTAP
Sequence:	RLFGGLLRRA HCLKRCKQGL PAFRQSQPSR EVLADFQRRE PYKFLQFAYF
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 86%
Characteristics:	This is a rabbit polyclonal antibody against CRTAP. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	CRTAP

### **Target Details**

Alternative Name:	CRTAP (CRTAP Products)
Background:	The protein encoded by this gene is similar to the chicken and mouse CRTAP genes. The encoded protein is a scaffolding protein that may influence the activity of at least one member of the cytohesin/ARNO family in response to specific cellular stimuli. De Alias Symbols: CASP, LEPREL3, OI7  Protein Interaction Partner: ARMC9, SH3GLB2, GPN1, ACTR2, TOM1L1, SURF2, SP100, SH3GL1, UBC, FBXO6, VHL, Sf3a1, WDR48, Protein Size: 401
Molecular Weight:	44 kDa
Gene ID:	10491
NCBI Accession:	NM_006371, NP_006362
UniProt:	075718


## **Application Details**

Application Notes:

Comment:	Antigen size: 401 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %
	sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small

Optimal working dilutions should be determined experimentally by the investigator.

aliquots to prevent freeze-thaw cycles.



#### **Western Blotting**

Image 1. WB Suggested Anti-CRTAP Antibody Titration: 0.2-1 ug/ml Positive Control: COLO205 cell lysate