# antibodies -online.com





## anti-TMEM127 antibody (Middle Region)





Go to	D	1	
	Pron	וויאו וו	nane

Overview	
Quantity:	100 μL
Target:	TMEM127
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Cow, Rabbit, Dog, Guinea Pig, Horse, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TMEM127 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human TMEM127
Sequence:	AFLLDVFGPK HPALKITRRY AFAHILTVLQ CATVIGFSYW ASELILAQQQ

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human TMEM127
Sequence:	AFLLDVFGPK HPALKITRRY AFAHILTVLQ CATVIGFSYW ASELILAQQQ
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against TMEM127. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

#### **Target Details**

Target:	TMEM127	

#### Target Details


Alternative Name:	TMEM127 (TMEM127 Products)
Background:	TMEM127 is a multi-pass membrane protein. The exact function of TMEM127 remains
	unknown.
	Alias Symbols: FLJ20507, FLJ22257
	Protein Interaction Partner: UBC, ELAVL1,
	Protein Size: 238
Molecular Weight:	26 kDa
Gene ID:	55654
NCBI Accession:	NM_017849, NP_060319
UniProt:	075204

### Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 238 AA
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



#### **Western Blotting**

Image 1. WB Suggested Anti-TMEM127 Antibody Titration:0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control:Transfected 293T