
antibodies -online.com







anti-TMEM206 antibody (N-Term)





Go to Product page

\sim						
	1//	Д	r۱	/1	\triangle	٨

Quantity:	100 μL
Target:	TMEM206 (C1orf75)
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Horse, Pig, Rabbit, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TMEM206 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human
	C1orf75
Sequence:	IFIYLLLMAV AVFLVYRTIT DFREKLKHPV MSVSYKEVDR YDAPGIALYP
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against C1orf75. It was validated on Western Blot using a
	cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	TMEM206 (C1orf75)

Target Details


Alternative Name:	C1orf75 (C1orf75 Products)
Background:	The function of this protein remains unknown.
	Alias Symbols: FLJ10874, RP11-384C4.5, C1orf75
	Protein Interaction Partner: UBC,
	Protein Size: 350
Molecular Weight:	40 kDa
Gene ID:	55248
NCBI Accession:	NM_018252, NP_060722
UniProt:	Q9H813

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 350 AA	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-C1orf75 Antibody Titration:0.2-1 ug/ml Positive Control: Human Stomach