

Datasheet for ABIN2782954  
**anti-TMEM206 antibody (N-Term)**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µL
Target:	TMEM206 (C1orf75)
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Horse, Pig, Rabbit, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TMEM206 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human C1orf75
Sequence:	IFIYLLLMAY AVFLVYRTIT DFREKLKHPV MSVSYKEVDR YDAPGIALYP
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against C1orf75. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

## Target Details

Target:	TMEM206 (C1orf75)
---------	-------------------

## Target Details


Alternative Name:	C1orf75 ( <a href="#">C1orf75 Products</a> )
Background:	<p>The function of this protein remains unknown.</p> <p>Alias Symbols: FLJ10874, RP11-384C4.5, C1orf75</p> <p>Protein Interaction Partner: UBC,</p> <p>Protein Size: 350</p>
Molecular Weight:	40 kDa
Gene ID:	55248
NCBI Accession:	<a href="#">NM_018252</a> , <a href="#">NP_060722</a>
UniProt:	<a href="#">Q9H813</a>

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 350 AA
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1.** WB Suggested Anti-C1orf75 Antibody Titration:  
0.2-1 ug/ml Positive Control: Human Stomach