



[Go to Product page](#)

Datasheet for ABIN2783057

## anti-Zinc Finger Protein 117 antibody (Middle Region)

### 1 Image

#### Overview

Quantity:	100 µL
Target:	Zinc Finger Protein 117 (ZNF117)
Binding Specificity:	Middle Region
Reactivity:	Human, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Zinc Finger Protein 117 antibody is un-conjugated
Application:	Western Blotting (WB)

#### Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human ZNF117
Sequence:	EIPYKCEKCV RAFNQASKLT EHKLIIHTGEK RYECEECGKA FNRSSKLTEH
Predicted Reactivity:	Dog: 91%, Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF117. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

#### Target Details

Target:	Zinc Finger Protein 117 (ZNF117)
Alternative Name:	ZNF117 ( <a href="#">ZNF117 Products</a> )

## Target Details

---

Background:	ZNF117 belongs to the krueppel C2H2-type zinc-finger protein family and may be involved in transcriptional regulation. Alias Symbols: H-plk, HPF9, MGC22613 Protein Interaction Partner: UBC, Protein Size: 483
Molecular Weight:	56 kDa
Gene ID:	51351
NCBI Accession:	<a href="#">NM_015852</a> , <a href="#">NP_056936</a>
UniProt:	<a href="#">Q03924</a>

## Application Details

---

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 483 AA
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



### Western Blotting

**Image 1.** WB Suggested Anti-ZNF117 Antibody Titration:  
0.2-1 ug/ml ELISA Titer: 1:62500 Positive Control: Human Lung