antibodies - online.com







anti-ZNF18 antibody (C-Term)



Image



()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	100 μL	
Target:	ZNF18	
Binding Specificity:	C-Term	
Reactivity:	Human, Rat, Mouse, Dog, Rabbit, Cow, Horse, Pig, Zebrafish (Danio rerio)	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ZNF18 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Mouse Zkscan6	
Sequence:	FSGLRHHEKI HTGEKPYKCP LCEKSFIQRS NFNRHQRVHT GEKPYKCTHC	
Predicted Reactivity:	Cow: 100%, Dog: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 83%	
Characteristics:	This is a rabbit polyclonal antibody against Zkscan6. It was validated on Western Blot.	
Purification:	Affinity Purified	
Target Details		
Target:	ZNF18	

Target Details

Alternative Name:	Zkscan6 (ZNF18 Products)
Background:	Zkscan6 may be involved in transcriptional regulation. Alias Symbols: 1700128E15Rik, D11Ertd714e, KOX11, Zfp535, Znf18 Protein Size: 556
Molecular Weight:	63 kDa
Gene ID:	52712
NCBI Accession:	NM_026107, NP_080383
UniProt:	Q810A1

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 556 AA	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

90 kDa__ 65 kDa__ 40 kDa__ 29 kDa__ 22 kDa__

Western Blotting

Image 1. Host: Rabbit Target Name: Zkscan6 Sample Type: Mouse Stomach lysates Antibody Dilution: 1.0ug/ml