

Datasheet for ABIN2783129  
**anti-E2F7 antibody (Middle Region)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	100 µL
Target:	E2F7
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Dog, Rat, Cow, Rabbit, Horse, Guinea Pig, Goat, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This E2F7 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of Rat E2f7
Sequence:	NSQLDVVG D SAVDDY EKRR PSRKQKSLGL LCQKFLARYP SYPLSTEKTT
Predicted Reactivity:	Cow: 100%, Dog: 100%, Goat: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against E2f7. It was validated on Western Blot.
Purification:	Affinity Purified

## Target Details

Target:	E2F7
Alternative Name:	E2f7 ( <a href="#">E2F7 Products</a> )

## Target Details

Background: The function of this protein remains unknown.  
Alias Symbols: -  
Protein Size: 514

Molecular Weight: 56 kDa

Gene ID: 314818

NCBI Accession: [NM\\_001108092](#), [NP\\_001101562](#)

## Application Details

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

Comment: Antigen size: 514 AA

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: Lot specific

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -20 °C

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1.** Host: Rabbit Target Name: E2f7 Sample Type: Rat Testis lysates Antibody Dilution: 1.0ug/ml