



[Go to Product page](#)

Datasheet for ABIN2783137

anti-ZNF275 antibody (Middle Region)

1 Image

Overview

Quantity:	100 µL
Target:	ZNF275
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Cow, Guinea Pig, Horse, Pig, Rabbit, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF275 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Sequence:	LAEHQRIHSG AKPYGCPHCG KLFRRSSELT KHRRHTGEEK PYECNQCGKA
Predicted Reactivity:	Cow: 92%, Dog: 100%, Guinea Pig: 92%, Horse: 93%, Human: 100%, Mouse: 93%, Pig: 93%, Rabbit: 93%, Rat: 93%
Characteristics:	This is a rabbit polyclonal antibody against Zfp275. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	ZNF275
Alternative Name:	Zfp275 (ZNF275 Products)
Background:	The function of this protein remains unknown.

Target Details

Alias Symbols: 5430431L06Rik, AI593314, DXBay20, DXHXS52, DXPas8

Protein Interaction Partner: Polr2b, Tfdp2, Hdac10, Ivns1abp, Tle6, Asb15, Cers2, Cic, Med20, Zfp292, Srebf2,

Protein Size: 464

Molecular Weight: 52 kDa

Gene ID: 27081

NCBI Accession: [NM_031494](#), [NP_113682](#)

UniProt: [A2AIE7](#)

Application Details

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

Comment: Antigen size: 464 AA

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: Lot specific

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -20 °C

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Rabbit Anti-Zfp275 Antibody
Catalog Number: ARP47780
Lot Number: QC18014
Lane: Mouse Kidney Lysate

Antibody Titration: 1.0µg/ml
Gel Concentration: 12%

Western Blotting

Image 1.