



[Go to Product page](#)

Datasheet for ABIN2783268

## anti-ATP5B antibody (N-Term)

7 Images

3 Publications

### Overview

Quantity:	100 µL
Target:	ATP5B
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit, Zebrafish (Danio rerio), Saccharomyces cerevisiae
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ATP5B antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

### Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ATP5B
Sequence:	PIKIPVGPET LGRIMNVIGE PIDERGPIKT KQFAPIHAEA PEFMEMSVEQ
Predicted Reactivity:	Cow: 100%, Dog: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Yeast: 100%, Zebrafish: 93%
Characteristics:	This is a rabbit polyclonal antibody against ATP5B. It was validated on Western Blot and immunohistochemistry. Catalog ABIN973615 can be used as a blocking peptide for this product.
Purification:	Protein A purified

### Target Details

Target:	ATP5B
---------	-------

## Target Details

---

Alternative Name: [ATP5B \(ATP5B Products\)](#)

---

Background: ATP5B is a subunit of mitochondrial ATP synthase. Mitochondrial ATP synthase catalyzes ATP synthesis, utilizing an electrochemical gradient of protons across the inner membrane during oxidative phosphorylation. ATP synthase is composed of two linked multi-subunit complexes: the soluble catalytic core, F1, and the membrane-spanning component, Fo, comprising the proton channel. The catalytic portion of mitochondrial ATP synthase consists of 5 different subunits (alpha, beta, gamma, delta, and epsilon) assembled with a stoichiometry of 3 alpha, 3 beta, and a single representative of the other 3. The proton channel consists of three main subunits (a, b, c). ATP5B is the beta subunit of the catalytic core. This gene encodes a subunit of mitochondrial ATP synthase. Mitochondrial ATP synthase catalyzes ATP synthesis, utilizing an electrochemical gradient of protons across the inner membrane during oxidative phosphorylation. ATP synthase is composed of two linked multi-subunit complexes: the soluble catalytic core, F1, and the membrane-spanning component, Fo, comprising the proton channel. The catalytic portion of mitochondrial ATP synthase consists of 5 different subunits (alpha, beta, gamma, delta, and epsilon) assembled with a stoichiometry of 3 alpha, 3 beta, and a single representative of the other 3. The proton channel consists of three main subunits (a, b, c). This gene encodes the beta subunit of the catalytic core. Publication Note: This RefSeq record includes a subset of the publications that are available for this gene. Please see the Entrez Gene record to access additional publications.

Alias Symbols: ATPMB, ATPSB, MGC5231

Protein Interaction Partner: FUS, FDX1, ATP5A1, HUWE1, ATPAF2, TRIM63, TRIM55, SPRTN, STAU1, GRSF1, UBC, MDM2, ASB5, ASB11, SUZ12, RNF2, EZH2, BMI1, GBP1, ADRB2, TERT, vpu, UBL4A, WHSC1, VCAM1, PPP1CC, ITGA4, FN1, ESR1, ATF2, BTK, YWHAE, SUMO2, CA9, FMNL1, ATP50, ATP6V1B2, ATP5C1, AT

Protein Size: 529

---

Molecular Weight: 52 kDa

---

Gene ID: 506

---

NCBI Accession: [NM\\_001686](#), [NP\\_001677](#)

---

UniProt: [P06576](#)

---

Pathways: [Proton Transport](#), [Ribonucleoside Biosynthetic Process](#)

---

## Application Details

---

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

---

## Application Details

---

Comment: Antigen size: 529 AA

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Concentration: Lot specific

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeated freeze-thaw cycles.


Storage: -20 °C

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

## Publications


---

Product cited in: Craxton: "Evolutionary genomics of plant genes encoding N-terminal-TM-C2 domain proteins and the similar FAM62 genes and synaptotagmin genes of metazoans." in: **BMC genomics**, Vol. 8, pp. 259, (2007) ([PubMed](#)).




### Immunohistochemistry

Image 1.



### Western Blotting

Image 2. Host: Mouse Target Name: ATP5B Sample Tissue: Mouse Kidney Antibody Dilution: 1ug/ml



### Western Blotting

Image 3. ATP5B antibody - N-terminal region validated by WB using Proximal kidney tubules purified from cortex at 1:1000.

Please check the [product details page](#) for more images. Overall 7 images are available for ABIN2783268.