antibodies .- online.com







anti-CAP1 antibody (N-Term)





|)\/(| | | |
|------|--|--|--|
| | | | |

Target:

| Quantity: | 100 μL | | |
|---------------------------------|--|--|--|
| Target: | CAP1 | | |
| Binding Specificity: | N-Term | | |
| Reactivity: | Human, Mouse, Rat, Horse, Cow, Dog, Guinea Pig, Rabbit | | |
| Host: | Rabbit | | |
| Clonality: | Polyclonal | | |
| Conjugate: | This CAP1 antibody is un-conjugated | | |
| Application: | Western Blotting (WB) | | |
| Product Details | | | |
| Immunogen: | The immunogen is a synthetic peptide directed towards the N terminal region of human CAP1 | | |
| Sequence: | MADMQNLVER LERAVGRLEA VSHTSDMHRG YADSPSKAGA APYVQAFDSL | | |
| Predicted Reactivity: | Cow: 86%, Dog: 93%, Guinea Pig: 91%, Horse: 86%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100% | | |
| | | | |
| Characteristics: | This is a rabbit polyclonal antibody against CAP1. It was validated on Western Blot using a cell lysate as a positive control. | | |
| Characteristics: Purification: | | | |

CAP1


Target Details

| rarget Details | | | |
|---------------------|--|--|--|
| Alternative Name: | CAP1 (CAP1 Products) | | |
| Background: | The protein encoded by this gene is related to the S. cerevisiae CAP protein, which is involved in the cyclic AMP pathway. The human protein is able to interact with other molecules of the same protein, as well as with CAP2 and actin. Alternatively splice Alias Symbols: CAP, CAP1-PEN Protein Interaction Partner: PLA2G4A, UBC, MCM4, MCM3, MCM2, HSP90AB1, HSP90AA1, FASN, ACTBL2, NEK9, KIAA1598, SIRT1, MGEA5, ABI2, HSP90B1, TPM4, TPM3, MCM6, MCM5, FN1, ATF2, FMNL1, LIG4, BARD1, HTRA2, MYL12A, PSME2, NCK2, EFNB1, MYOC, SIRT7, UCHL5, CAP2, CAP1, SERPINB8, ACTB, Bag6, Protein Size: 475 | | |
| Molecular Weight: | 52 kDa | | |
| Gene ID: | 10487 | | |
| NCBI Accession: | NM_006367, NP_006358 | | |
| UniProt: | Q01518 | | |
| Pathways: | cAMP Metabolic Process | | |
| Application Details | | | |
| Application Notes: | Optimal working dilutions should be determined experimentally by the investigator. | | |
| Comment: | Antigen size: 475 AA | | |
| Restrictions: | For Research Use only | | |
| Handling | | | |
| Format: | Liquid | | |
| Concentration: | Lot specific | | |
| Buffer: | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose. | | |
| Preservative: | Sodium azide | | |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | | |
| Handling Advice: | Avoid repeated freeze-thaw cycles. | | |
| | | | |

Handling

| Storage: | -20 °C |
|------------------|---|
| Storage Comment: | For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. |

Images



Western Blotting

Image 1. WB Suggested Anti-CAP1 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:62500 Positive Control: ACHN cell lysate CAP1 is supported by BioGPS gene expression data to be expressed in ACHN

Western Blotting

Image 2. WB Suggested Anti-CAP1

Antibody Titration: 0.2-1 µg/mL ELISA Titer: 1:.2500

Positive Control: ACHN cell lysate

CAP1 is supported by BioGPS gene expression data to be expressed in ACHN