antibodies - online.com







anti-TTC35 antibody (Middle Region)



Image



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	100 μL
Target:	TTC35
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TTC35 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human TTC35
Sequence:	IQLYDRILQE DPTNTAARKR KIAIRKAQGK NVEAIRELNE YLEQFVGDQE
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 93%
Characteristics:	This is a rabbit polyclonal antibody against TTC35. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Tarnet Details

Target:	TTC35	

Target Details

Alternative Name:	TTC35 (TTC35 Products)
Background:	The exact function of TTC35 remains unknown.
	Alias Symbols: KIAA0103, TTC35
	Protein Interaction Partner: CCDC33, EMC9, IKZF3, EMC8, UBC, FBX06, CFTR,
	Protein Size: 297
Molecular Weight:	35 kDa
Gene ID:	9694
NCBI Accession:	NM_014673, NP_055488
UniProt:	Q15006

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 297 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

90 kDa__ 65 kDa__ 40 kDa__ 29 kDa__ 22 kDa__

Western Blotting

Image 1. WB Suggested Anti-TTC35 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: Human Spleen