

Datasheet for ABIN2783395
anti-TTC6 antibody (C-Term)[Go to Product page](#)[1 Image](#)[1 Publication](#)

Overview

Quantity:	100 µL
Target:	TTC6
Binding Specificity:	C-Term
Reactivity:	Human, Cow, Dog, Horse, Mouse, Pig, Rabbit, Guinea Pig, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TTC6 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human TTC6
Sequence:	MKDYQDAITL NPKYSLAYFN AGNIYFHHRQ FSQASDYFSK ALKFDPENEY
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 93%
Characteristics:	This is a rabbit polyclonal antibody against TTC6. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	TTC6
---------	------

Target Details

Alternative Name:	TTC6 (TTC6 Products)
Background:	The functions of TTC6 remain unknown. Alias Symbols: MGC119358, MGC119360, MGC119361 Protein Size: 520
Molecular Weight:	59 kDa
Gene ID:	115669
NCBI Accession:	NM_001007795 , NP_001007796
UniProt:	Q86TZ1

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 520 AA
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Publications

Product cited in:	Lazrek, Goffard, Schanen, Karquel, Bocket, Lion, Devaux, Hedouin, Gosset, Hober: "Detection of hepatitis C virus antibodies and RNA among medicolegal autopsy cases in Northern France." in:
-------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Images



Western Blotting

Image 1. WB Suggested Anti-TTC6 Antibody Titration: 0.2-1 ug/ml Positive Control: Jurkat cell lysate