# antibodies.com

# Datasheet for ABIN2783468 anti-STK3 antibody (N-Term)

5 Images



# Overview

Quantity:	100 μL
Target:	STK3
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Zebrafish (Danio rerio), Dog, Rabbit, Horse, Guinea Pig, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STK3 antibody is un-conjugated
Application:	Western Blotting (WB)

# Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human STK3
Sequence:	MEQPPAPKSK LKKLSEDSLT KQPEEVFDVL EKLGEGSYGS VFKAIHKESG
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 92%, Horse: 92%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against STK3. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	STK3

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN2783468 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	STK3 (STK3 Products)
Background:	Protein kinase activation is a frequent response of cells to treatment with growth factors,
	chemicals, heat shock, or apoptosis-inducing agents. This protein kinase activation presumably
	allows cells to resist unfavorable environmental conditions. The yeast 'sterile 20' (Ste20) kinase
	acts upstream of the mitogen-activated protein kinase (MAPK) cascade that is activated under
	a variety of stress conditions. MST2 was identified as a kinase that is activated by the
	proapoptotic agents straurosporine and FAS ligand.Protein kinase activation is a frequent
	response of cells to treatment with growth factors, chemicals, heat shock, or apoptosis-
	inducing agents. This protein kinase activation presumably allows cells to resist unfavorable
	environmental conditions. The yeast 'sterile 20' (Ste20) kinase acts upstream of the mitogen-
	activated protein kinase (MAPK) cascade that is activated under a variety of stress conditions.
	MST2 was identified as a kinase that is activated by the proapoptotic agents straurosporine
	and FAS ligand (MIM 134638) (Taylor et al., 1996 [PubMed 8816758], Lee et al., 2001 [PubMed
	11278283]).[supplied by OMIM]. Publication Note: This RefSeq record includes a subset of the
	publications that are available for this gene. Please see the Entrez Gene record to access
	additional publications. PRIMARYREFSEQ_SPAN PRIMARY_IDENTIFIER PRIMARY_SPAN
	COMP 1-11 U26424.1 1-11 12-2826 BC010640.2 1-2815
	Alias Symbols: FLJ90748, KRS1, MST2
	Protein Interaction Partner: RASSF2, SLMAP, TRAF1, GAD1, FAM9B, RASSF4, GMCL1, TFPT,
	FBXW11, UBC, AURKB, RAE1, YWHAB, TSPYL1, STRN, STK4, PRKRIR, PLK1, RASSF5, SAV1,
	CTTNBP2NL, MOB1A, MAP1S, STRN3, STRN4, LATS2, FGFR10P2, MOB4, RASSF1, ERLIN2,
	KIF2C, RASSF3, RUNDC3B, MOB1B, STRIP1, S
	Protein Size: 491
Molecular Weight:	56 kDa
Gene ID:	6788
NCBI Accession:	NM_006281, NP_006272
UniProt:	Q13188
Pathways:	Tube Formation
Application Details	


# Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 491 AA
Restrictions:	For Research Use only

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN2783468 | 09/11/2023 | Copyright antibodies-online. All rights reserved. Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images




### Western Blotting

**Image 1.** WB Suggested Anti-STK3 Antibody Titration: 0.2-1 ug/ml Positive Control: Jurkat cell lysate

# Western Blotting

Image 2. Host: Mouse Target Name: STK3 Sample Tissue: Mouse Testis Antibody Dilution: 1ug/ml

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN2783468 | 09/11/2023 | Copyright antibodies-online. All rights reserved.



### Western Blotting

**Image 3.** Lanes: Lane 1: 30ug of HeLa cell lysate Lane 2: 30ug of 293T cell lysate Primary Antibody Dilution: 1:2000 Secondary Antibody: Anti-rabbit-HRP Secondary Antibody Dilution: 1:5000 Gene Name: STK3 Submitted by: Jixin Dong & Yuanhong Chen,University of Nebraska

See Immunoblot 2 Data and Customer Feedback for more Information

Please check the product details page for more images. Overall 5 images are available for ABIN2783468.