antibodies - online.com







anti-NUDT13 antibody (N-Term)



Image



\sim					
	1//	r۱.	/ I	\triangle	٨

Quantity:	100 μL
Target:	NUDT13
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Dog, Guinea Pig, Rabbit, Cow, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NUDT13 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human NUDT13
Immunogen: Sequence:	
	NUDT13
Sequence:	NUDT13 MSLYCGIACR RKFFWCYRLL STYVTKTRYL FELKEDDDAC KKAQQTGAFY Cow: 93%, Dog: 100%, Guinea Pig: 100%, Horse: 93%, Human: 100%, Mouse: 79%, Rabbit: 93%,
Sequence: Predicted Reactivity:	MSLYCGIACR RKFFWCYRLL STYVTKTRYL FELKEDDDAC KKAQQTGAFY Cow: 93%, Dog: 100%, Guinea Pig: 100%, Horse: 93%, Human: 100%, Mouse: 79%, Rabbit: 93%, Rat: 93% This is a rabbit polyclonal antibody against NUDT13. It was validated on Western Blot using a
Sequence: Predicted Reactivity: Characteristics:	MSLYCGIACR RKFFWCYRLL STYVTKTRYL FELKEDDDAC KKAQQTGAFY Cow: 93%, Dog: 100%, Guinea Pig: 100%, Horse: 93%, Human: 100%, Mouse: 79%, Rabbit: 93%, Rat: 93% This is a rabbit polyclonal antibody against NUDT13. It was validated on Western Blot using a cell lysate as a positive control.

Target Details


Alternative Name:	NUDT13 (NUDT13 Products)	
Background:	NUDT13 contains 1 nudix hydrolase domain. The exact function of NUDT13 remains unknown.	
	Alias Symbols: -	
	Protein Interaction Partner: UBD,	
	Protein Size: 352	
Molecular Weight:	40 kDa	
Gene ID:	25961	
NCBI Accession:	NM_015901, NP_056985	
UniProt:	Q86X67	

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 352 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-NUDT13 Antibody Titration: 0.2-1 ug/ml Positive Control: HepG2 cell lysate NUDT13 is supported by BioGPS gene expression data to be expressed in HepG2