# antibodies -online.com







# anti-NUDT18 antibody (C-Term)





| $\sim$ |     |     |     |             |   |
|--------|-----|-----|-----|-------------|---|
|        | 1// | r۱. | / I | $\triangle$ | ٨ |


| Quantity:             | 100 μL   |  |
|-----------------------|--|--|
| Target:               | NUDT18   |  |
| Binding Specificity:  | C-Term   |  |
| Reactivity:           | Human, Rat, Dog, Cow, Mouse, Pig, Guinea Pig, Horse  |  |
| Host:                 | Rabbit   |  |
| Clonality:            | Polyclonal   |  |
| Conjugate:            | This NUDT18 antibody is un-conjugated  |  |
| Application:          | Western Blotting (WB)  |  |
| Product Details       |  |  |
| Immunogen:            | The immunogen is a synthetic peptide directed towards the C terminal region of human NUDT18                                      |  |
| Sequence:             | KGLLGLQHLG RDHSDGICLN VLVTVAFRSP GIQDEPPKVR GENFSWWKVM   |  |
| Predicted Reactivity: | Cow: 86%, Dog: 86%, Guinea Pig: 86%, Horse: 92%, Human: 100%, Mouse: 93%, Pig: 93%, Rat: 93%                                     |  |
| Characteristics:      | This is a rabbit polyclonal antibody against NUDT18. It was validated on Western Blot using a cell lysate as a positive control. |  |
| Purification:         | Affinity Purified  |  |
| Target Details        |  |  |
| Target:               | NUDT18   |  |

## **Target Details**

| Alternative Name:   | NUDT18 (NUDT18 Products)  |  |
|---------------------|---|--|
| Background:         | NUDT18 belongs to the Nudix hydrolase family. It contains 1 nudix hydrolase domain. NUDT18 probably mediates the hydrolysis of some nucleoside diphosphate derivatives.  Alias Symbols: FLJ22494  Protein Interaction Partner: EVI5L, HSD17B14, APIP, NT5C2, PAICS, RABAC1, RAB3IL1, DUT, DHPS, NAT9, RAD54B, TARBP2, COIL, TERF2IP, NADK, RWDD1, KXD1, KRTAP4-12, CUTC, KCTD13, GSE1, KHDRBS3, TIFA, DCTD, SDPR, KCTD17, GNMT, PSME3, TRIM37, TRAF2, ZBED1, KRT15, GLUL, PCBD1,  Protein Size: 323 |  |
| Molecular Weight:   | 35 kDa  |  |
| Gene ID:            | 79873   |  |
| NCBI Accession:     | NM_024815, NP_079091  |  |
| UniProt:            | Q6ZVK8  |  |
| Application Details |   |  |
| Application Notes:  | Optimal working dilutions should be determined experimentally by the investigator.  |  |
| Comment:            | Antigen size: 323 AA  |  |
| Restrictions:       | For Research Use only   |  |
| Handling            |   |  |
| Format:             | Liquid  |  |
| Concentration:      | Lot specific  |  |
| Buffer:             | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.   |  |
| Preservative:       | Sodium azide  |  |
| Precaution of Use:  | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  |  |
| Handling Advice:    | Avoid repeated freeze-thaw cycles.  |  |
| Storage:            | -20 °C  |  |
| Storage Comment:    | For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small   |  |

aliquots to prevent freeze-thaw cycles.

#### **Images**



### **Western Blotting**

Image 1. WB Suggested Anti-NUDT18 Antibody Titration:0.2-1 ug/ml ELISA Titer: 1:62500 Positive Control:Transfected 293T