

Datasheet for ABIN2783837  
**anti-TMEM35 antibody (C-Term)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	100 µL
Target:	TMEM35
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Cow, Guinea Pig, Horse, Rabbit, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TMEM35 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human TMEM35
Sequence:	VFGILLTCRL LIARKPEDRS SEKKPLPGNA EEQPSLYEKA PQGKVKVS
Predicted Reactivity:	Cow: 100%, Dog: 93%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against TMEM35. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

## Target Details

Target:	TMEM35
---------	--------

## Target Details


Alternative Name:	TMEM35 ( <a href="#">TMEM35 Products</a> )
Background:	TMEM35 is a multi-pass membrane protein. The exact function of TMEM35 remains unknown. Alias Symbols: FLJ14084 Protein Interaction Partner: APP, Protein Size: 167
Molecular Weight:	18 kDa
Gene ID:	59353
NCBI Accession:	<a href="#">NM_021637</a> , <a href="#">NP_067650</a>
UniProt:	<a href="#">Q53FP2</a>

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 167 AA
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1.** WB Suggested Anti-TMEM35 Antibody Titration:  
0.2-1 ug/ml ELISA Titer: 1:12500 Positive Control: Human  
brain