antibodies -online.com





Datasheet for ABIN2784019

anti-SPATA9 antibody (N-Term)





Go to Product page

_			
	N/0	r\/I	ew
\sim	' v C	1 V I	C V V

Overview	
Quantity:	100 μL
Target:	SPATA9
Binding Specificity:	N-Term
Reactivity:	Human, Cow, Dog, Horse, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SPATA9 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human SPATA9
Sequence:	FKDEFPTILR LSQSNQKREP AQKTSKIRMA IALAKINRAT LIRGLNSISR
Predicted Reactivity:	Cow: 86%, Dog: 93%, Horse: 93%, Human: 100%, Pig: 86%
Characteristics:	This is a rabbit polyclonal antibody against SPATA9. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	SPATA9

Target Details

Alternative Name:	SPATA9 (SPATA9 Products)	
Dookaraund		
Background:	SPATA9 may play a role in testicular development/spermatogenesis and may be an important	
	factor in male infertility. Defects in expression of SPATA9 lead to Sertoli-cell-only syndrome.	
	Alias Symbols: FLJ35906, NYD-SP16	
	Protein Size: 254	
Molecular Weight:	29 kDa	
Gene ID:	83890	
NCBI Accession:	NM_031952, NP_114158	
UniProt:	Q9BWV2	

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 254 AA	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

90 kDa__ 65 kDa__ 40 kDa__ 31 kDa__ 22 kDa__

Western Blotting

Image 1. WB Suggested Anti-SPATA9 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:12500 Positive Control: U937 cell lysate