antibodies - online.com







anti-ZNF780A antibody (N-Term)





\sim	
()\/\	rview
\cup	

OVERVIEW	
Quantity:	100 μL
Target:	ZNF780A
Binding Specificity:	N-Term
Reactivity:	Human, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF780A antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF780A
Sequence:	TSRRYPDLEL KYGPEKVSPE NDTSEVNLPK QVIKQISTTL GIEAFYFRND
Predicted Reactivity:	Horse: 100%, Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF780A. It was validated on Western Blot using a
	cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	ZNF780A

Target Details

Alternative Name:	ZNF780A (ZNF780A Products)
Background:	ZNF780A belongs to the krueppel C2H2-type zinc-finger protein family. It contains 17 C2H2-
	type zinc fingers and 1 KRAB domain. ZNF780A may be involved in transcriptional regulation.
	Alias Symbols: ZNF780
	Protein Size: 607
Molecular Weight:	70 kDa
Gene ID:	284323
NCBI Accession:	NM_001010880, NP_001010880
UniProt:	075290

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 607 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

90 kDa__ 65 kDa__ 40 kDa__ 31 kDa__ 22 kDa__

Western Blotting

Image 1. WB Suggested Anti-ZNF780A Antibody Titration:0.2-1 ug/ml ELISA Titer: 1:1562500 Positive Control:HepG2 cell lysate