

Datasheet for ABIN2784165
anti-ZNF793 antibody (Middle Region)



[Go to Product page](#)

1 Image

1 Publication

Overview

Quantity:	100 µL
Target:	ZNF793
Binding Specificity:	Middle Region
Reactivity:	Human, Dog, Pig, Rat, Horse, Rabbit, Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF793 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human ZNF793
Sequence:	FCGKAFTQKS HRTEHQRTHT GERPFVCSEC GKSFGEKSYL NVHRKMHTGE
Predicted Reactivity:	Cow: 93%, Dog: 100%, Horse: 100%, Human: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF793. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	ZNF793
Alternative Name:	ZNF793 (ZNF793 Products)

Target Details

Background: ZNF793 may be involved in transcriptional regulation.
Alias Symbols: -
Protein Size: 406

Molecular Weight: 47 kDa

Gene ID: 390927

NCBI Accession: [NM_001013659](#), [NP_001013681](#)

UniProt: [Q6ZN11](#)

Application Details

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

Comment: Antigen size: 406 AA

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: Lot specific

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -20 °C

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Publications

Product cited in: Lazrek, Goffard, Schanen, Karquel, Bocket, Lion, Devaux, Hedouin, Gosset, Hober: "Detection of hepatitis C virus antibodies and RNA among medicolegal autopsy cases in Northern France." in: **Diagnostic microbiology and infectious disease**, Vol. 55, Issue 1, pp. 55-8, (2006) ([PubMed](#)).



Western Blotting

Image 1. WB Suggested Anti-ZNF793 Antibody Titration:
0.2-1 ug/ml ELISA Titer: 1:62500 Positive Control: HT1080
cell lysate