antibodies -online.com





anti-FLJ44894 antibody (Middle Region)





Overview

| Quantity: | 100 μL |
|----------------------|---|
| Target: | FLJ44894 |
| Binding Specificity: | Middle Region |
| Reactivity: | Human, Cow, Mouse, Pig |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This FLJ44894 antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| Immunogen: | The immunogen is a synthetic peptide directed towards the middle region of human FLJ44894 |
|-----------------------|--|
| Sequence: | HRRTHTGEKP YKCEECGKAF TASSTLSEYK TIHTGEKPCK CEECGKAFNW |
| Predicted Reactivity: | Cow: 79%, Human: 100%, Mouse: 83%, Pig: 79% |
| Characteristics: | This is a rabbit polyclonal antibody against FLJ44894. It was validated on Western Blot using a cell lysate as a positive control. |
| Purification: | Affinity Purified |

Target Details

| Target: | FLJ44894 |
|-----------|-------------------|
| Abstract: | FLJ44894 Products |

Target Details


| Background: | The exact function of FLJ44894 remains unknown. |
|-------------------|---|
| | Alias Symbols: ZNF826, FLJ44894 |
| | Protein Size: 177 |
| Molecular Weight: | 21 kDa |
| Gene ID: | 664701 |
| NCBI Accession: | NM_001039884, NP_001034973 |

Application Details

| Application Notes: | Optimal working dilutions should be determined experimentally by the investigator. |
|--------------------|--|
| Comment: | Antigen size: 177 AA |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|---|
| Concentration: | Lot specific |
| Buffer: | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -20 °C |
| Storage Comment: | For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. |



Western Blotting

Image 1. WB Suggested Anti-FLJ44894 Antibody Titration: 0.2-1 ug/ml Positive Control: Human Liver