antibodies - online.com







anti-ZNF765 antibody (N-Term)



Image



| \sim | | | | | |
|--------|----|-----------|------|---------------|---|
| | VE | ۲۱د | /1/ | $\triangle V$ | ٨ |
| \cup | V | ر ار ا | יו ע | U V | V |

| Quantity: | 100 μL |
|-----------------------|---|
| Target: | ZNF765 |
| Binding Specificity: | N-Term |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ZNF765 antibody is un-conjugated |
| Application: | Western Blotting (WB) |
| Product Details | |
| Immunogen: | The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF765 |
| Sequence: | GHEALMTKIK KLTGSTERYD QNYAGNKPVK YQLGFSFHSH LPELHIFHTE |
| Predicted Reactivity: | Human: 100% |
| Characteristics: | This is a rabbit polyclonal antibody against ZNF765. It was validated on Western Blot using a |
| | cell lysate as a positive control. |
| Purification: | Affinity Purified |
| Target Details | |
| Target: | ZNF765 |
| | |

Target Details


| Alternative Name: | ZNF765 (ZNF765 Products) |
|-------------------|---|
| Background: | The exact function of this protein remains unknown. |
| | Alias Symbols: DKFZp686J2252 |
| | Protein Interaction Partner: USHBP1, DZIP3, REL, UBC, |
| | Protein Size: 523 |
| Molecular Weight: | 62 kDa |
| Gene ID: | 91661 |
| NCBI Accession: | NM_001040185, NP_001035275 |
| UniProt: | Q7L2R6 |

Application Details

| Application Notes: | otes: Optimal working dilutions should be determined experimentally by the investigator. | |
|--------------------|--|--|
| Comment: | Antigen size: 523 AA | |
| Restrictions: | For Research Use only | |

Handling

| Format: | Liquid |
|--------------------|---|
| Concentration: | Lot specific |
| Buffer: | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -20 °C |
| Storage Comment: | For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. |



Western Blotting

Image 1. WB Suggested Anti-ZNF765 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:12500 Positive Control: 293T cell lysate