

Datasheet for ABIN2784239
anti-TRAPPC2 antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	TRAPPC2
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRAPPC2 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N-terminal region of Rat Trappc2
Sequence:	FVIVGHHDNP VFEMEFLPPG KAESKDDHRH LNQFIAHAAL DLVDENMWLS
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against Trappc2. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	TRAPPC2
Alternative Name:	Trappc2 (TRAPPC2 Products)

Target Details

Background:	The function of this protein remains unknown. Alias Symbols: MGC109621, RGD1306925 Protein Size: 140
Molecular Weight:	15 kDa
Gene ID:	501550
NCBI Accession:	NM_001024965 , NP_001020136
UniProt:	Q5BJL8

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 140 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Host: Rabbit
Target Name: Trappc2
Sample Tissue: Rat Stomach Lysate
Antibody Dilution: 1.0µg/ml

Western Blotting

Image 1. Host: Rabbit Target Name: TRAPPC2 Sample
Tissue: Rat Stomach Antibody Dilution: 1ug/ml