



[Go to Product page](#)

Datasheet for ABIN2784285

## anti-ZNF385D antibody (N-Term)

1 Image

1 Publication

### Overview

Quantity:	100 µL
Target:	ZNF385D
Binding Specificity:	N-Term
Reactivity:	Human, Dog, Rat, Horse, Pig, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF385D antibody is un-conjugated
Application:	Western Blotting (WB)

### Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF385D
Sequence:	ALEAMKNKQK SVTAKDSAKT TFTSITTNTI NTSSDKTDGT AGTPAISTTT
Predicted Reactivity:	Dog: 93%, Horse: 93%, Human: 100%, Pig: 93%, Rabbit: 93%, Rat: 93%
Characteristics:	This is a rabbit polyclonal antibody against ZNF385D. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

### Target Details

Target:	ZNF385D
---------	---------

## Target Details

---

Alternative Name:	ZNF385D ( <a href="#">ZNF385D Products</a> )
Background:	ZNF385D contains 3 matrin-type zinc fingers. The exact function of ZNF385D remains unknown. Alias Symbols: FLJ22419, ZNF659 Protein Size: 395
Molecular Weight:	42 kDa
Gene ID:	79750
NCBI Accession:	<a href="#">NM_024697</a> , <a href="#">NP_078973</a>
UniProt:	<a href="#">Q9H6B1</a>

## Application Details

---

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 395 AA
Restrictions:	For Research Use only

## Handling

---


Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

## Publications

---

Product cited in: Ewing, Chu, Elisma, Li, Taylor, Climie, McBroom-Cerajewski, Robinson, OConnor, Li, Taylor,

Dharsee, Ho, Heilbut, Moore, Zhang, Ornatsky, Bukhman, Ethier, Sheng, Vasilescu, Abu-Farha, Lambert, Duewel et al.: "Large-scale mapping of human protein-protein interactions by mass spectrometry. ..." in: **Molecular systems biology**, Vol. 3, pp. 89, (2007) ([PubMed](#)).



#### Western Blotting

**Image 1.** WB Suggested Anti-ZNF385D Antibody Titration:  
0.2-1 ug/ml Positive Control: MCF7 cell lysate