

Datasheet for ABIN2784361
anti-ZBTB41 antibody (C-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	ZBTB41
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rabbit, Dog, Guinea Pig, Horse, Cow, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZBTB41 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C-terminal region of Human ZBTB41
Sequence:	LVRHTTTLPP SSHEILSPQP QSTDYPRAAD LAFLEKYTLT PQPANIVHPV
Predicted Reactivity:	Cow: 86%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 93%
Characteristics:	This is a rabbit polyclonal antibody against ZBTB41. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	ZBTB41
---------	--------

Target Details

Alternative Name:	ZBTB41 (ZBTB41 Products)
Background:	ZBTB41 may be involved in transcriptional regulation. Alias Symbols: FRBZ1, RP11-469L3.1, ZNF924 Protein Interaction Partner: ELAVL1, UBC, Protein Size: 909


Molecular Weight:	99 kDa
Gene ID:	360023
NCBI Accession:	NM_194314 , NP_919290
UniProt:	Q5SVQ8

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Host: Rabbit
Target Name: ZBTB41
Sample Tissue: THP-1 Cell Lysate
Antibody Dilution: 1.0µg/ml

Western Blotting

Image 1. Host: Rabbit Target Name: ZBTB41 Sample Type: THP-1 Whole Cell lysates Antibody Dilution: 1.0ug/ml