

Datasheet for ABIN2784376  
**anti-ZNF784 antibody (Middle Region)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	100 µL
Target:	ZNF784
Binding Specificity:	Middle Region
Reactivity:	Dog, Guinea Pig, Horse, Human, Mouse, Rat, Cow, Rabbit, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF784 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human ZNF784
Sequence:	ERVHTGERPY HCGICGKGFT QSSVLSGHAR IHTGERPFRC TLCDRTFNNS
Predicted Reactivity:	Cow: 93%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 85%, Rat: 100%, Zebrafish: 91%
Characteristics:	This is a rabbit polyclonal antibody against ZNF784. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

## Target Details

Target:	ZNF784
---------	--------

## Target Details


Alternative Name:	ZNF784 ( <a href="#">ZNF784 Products</a> )
Background:	ZNF784 may be involved in transcriptional regulation. Alias Symbols: MGC75238 Protein Interaction Partner: MAPK8IP2, CSNK2B, Protein Size: 323
Molecular Weight:	34 kDa
Gene ID:	147808
NCBI Accession:	<a href="#">NM_203374</a> , <a href="#">NP_976308</a>
UniProt:	<a href="#">Q8NCA9</a>

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 323 AA
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1.** WB Suggested Anti-ZNF784 Antibody Titration:  
0.2-1 ug/ml ELISA Titer: 1:62500 Positive Control: RPMI  
8226 cell lysate