

Datasheet for ABIN2784378
anti-ZNF790 antibody (N-Term)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	ZNF790
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF790
Sequence:	CKNHSLDCLC FRGDWEGNTQ FQTLQDNQEE CFKQVIRTCE KRPTFNQHTV
Predicted Reactivity:	Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF790. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	ZNF790
Alternative Name:	ZNF790 (ZNF790 Products)
Background:	ZNF790 may be involved in transcriptional regulation.

Target Details


	Alias Symbols: FLJ20350, MGC62100 Protein Interaction Partner: ACD, TINF2, POT1, TERF1, Protein Size: 636
Molecular Weight:	74 kDa
Gene ID:	388536
NCBI Accession:	NM_206894 , NP_996777
UniProt:	Q6PG37

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 636 AA
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-ZNF790 Antibody Titration:
0.2-1 ug/ml Positive Control: 721_B cell lysate



Rabbit Anti-ZNF790 Antibody
Catalog Number: ARP50897
Lot Number: QC29262
Lane: 721_B Cell Lysate

Antibody Titration: 1.0µg/ml
Gel Concentration: 12%

Western Blotting

Image 2. WB Suggested Anti-ZNF790
Antibody Titration: 0.2-1 µg/mL
Positive Control: 721_B cell lysate