# antibodies .- online.com







## anti-ZNF33A antibody (Middle Region)



Image



( )	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL
Target:	ZNF33A
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rabbit, Rat, Cow, Sheep, Dog, Zebrafish (Danio rerio), Guinea Pig, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF33A antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human ZNF33A
Sequence:	LQKGDKGEKH FECNECGKAF WEKSHLTRHQ RVHTGQKPFQ CNECEKAFWD
Predicted Reactivity:	Cow: 86%, Dog: 86%, Guinea Pig: 86%, Horse: 92%, Human: 100%, Mouse: 86%, Rabbit: 86%, Rat: 86%, Sheep: 86%, Zebrafish: 92%
Characteristics:	This is a rabbit polyclonal antibody against ZNF33A. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	ZNF33A

#### Target Details

Alternative Name:	ZNF33A (ZNF33A Products)
Background:	ZNF33A belongs to the krueppel C2H2-type zinc-finger protein family. It contains 16 C2H2-type
	zinc fingers and 1 KRAB domain. ZNF33A may be involved in transcriptional regulation.
	Alias Symbols: FLJ23404, KIAA0065, KOX2, KOX31, KOX5, NF11A, ZNF11, ZNF11A, ZNF33,
	ZZAPK
	Protein Interaction Partner: CDK11A, CBX6, ZAK, ZNF33A,
	Protein Size: 733
Molecular Weight:	80 kDa
Gene ID:	7581
NCBI Accession:	NM_006954
UniProt:	Q06730

### **Application Details**

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 733 AA
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



#### **Western Blotting**

Image 1. WB Suggested Anti-ZNF33A Antibody Titration:0.2-1 ug/ml Positive Control: Hela cell lysate