

Datasheet for ABIN2784565

anti-ZNF562 antibody (Middle Region)[Go to Product page](#)**1** Image

Overview

Quantity:	100 µL
Target:	ZNF562
Binding Specificity:	Middle Region
Reactivity:	Human, Rat, Cow, Dog, Horse, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF562 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human ZNF562
Sequence:	KQCVAVHTGK KSEKTKNCGK SFTNFSQLSA HAKTHKGEKS FECKECSRFS
Predicted Reactivity:	Cow: 79%, Dog: 79%, Horse: 79%, Human: 100%, Pig: 79%, Rat: 85%
Characteristics:	This is a rabbit polyclonal antibody against ZNF562. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	ZNF562
Alternative Name:	ZNF562 (ZNF562 Products)

Target Details

Background:	ZNF562 belongs to the krueppel C2H2-type zinc-finger protein family. It contains 8 C2H2-type zinc fingers and 1 KRAB domain. ZNF562 may be involved in transcriptional regulation. Alias Symbols: FLJ20079, MGC126160 Protein Interaction Partner: ELAVL1, Protein Size: 354
Molecular Weight:	40 kDa
Gene ID:	54811
NCBI Accession:	NM_017656 , NP_060126
UniProt:	Q6V9R5

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 354 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-ZNF562 Antibody Titration:
0.2-1 ug/ml Positive Control: 721_B cell lysate ZNF562 is supported by BioGPS gene expression data to be expressed in 721_B