# antibodies - online.com







## anti-ZNF681 antibody (C-Term)



Image



( )	1 /	$\sim$	KI /	110	Νę
	1//	$\vdash$	I \/	1 ←	٠// ٢

0.10.11011		
Quantity:	100 μL	
Target:	ZNF681	
Binding Specificity:	C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ZNF681 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human ZNF681	
Sequence:	GKAFNQSSNL TGHKKIHTGE KLYKPKRCNS DFENTSKFSK HKRNYAGEKS	
Predicted Reactivity:	Human: 100%	
Characteristics:	This is a rabbit polyclonal antibody against ZNF681. It was validated on Western Blot using a cell lysate as a positive control.	
Purification:	Affinity Purified	
Target Details		
Target:	ZNF681	

### Target Details


Alternative Name:	ZNF681 (ZNF681 Products)	
Background:	ZNF681 belongs to the krueppel C2H2-type zinc-finger protein family. It Contains 16 C2H2-type	
	zinc fingers. ZNF681 may be involved in transcriptional regulation.	
	Alias Symbols: FLJ31526	
	Protein Interaction Partner: UBC,	
	Protein Size: 576	
Molecular Weight:	62 kDa	
Gene ID:	148213	
NCBI Accession:	NM_138286	
UniProt:	Q96N22	

## Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 576 AA
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



#### **Western Blotting**

**Image 1.** WB Suggested Anti-ZNF681 Antibody Titration: 0.2-1 ug/ml Positive Control: Human brain