

# Datasheet for ABIN2784652

# anti-GCOM1 antibody (C-Term)





$C \circ + \circ$	Product	0000
	Product	nane

Overview	
Quantity:	100 μL
Target:	GCOM1
Binding Specificity:	C-Term
Reactivity:	Mouse, Human, Rat, Dog, Horse, Rabbit, Cow, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GCOM1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human Gcom1
Sequence:	ERMEKERHQL QLQLLEHETE MSGELTDSDK ERYQQLEEAS ASLRERIRHL
Predicted Reactivity:	Cow: 93%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 93%, Rabbit: 100%, Rat: 86%
Characteristics:	This is a rabbit polyclonal antibody against Gcom1. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	GCOM1


# **Target Details**

Alternative Name:	Gcom1 (GCOM1 Products)
Background:	This gene (Gcom1) is part of a complex transcript unit that includes the gene for glutamate
	receptor, ionotropic, N-methyl D-aspartate-like 1A (GRINL1A). Transcription of this gene occurs
	at an upstream promoter, with two different groups of alternatively spliced variants: Gup for
	GRINL1A upstream transcripts and Gcom for GRINL1A combined transcripts. The GRINL1A
	gene uses a downstream promoter for transcription and also has multiple alternatively spliced
	variants. This gene (Gcom1) is part of a complex transcript unit that includes the gene for
	glutamate receptor, ionotropic, N-methyl D-aspartate-like 1A (GRINL1A). Transcription of this
	gene occurs at an upstream promoter, with two different groups of alternatively spliced
	variants: Gup for GRINL1A upstream transcripts and Gcom for GRINL1A combined transcripts
	The GRINL1A gene uses a downstream promoter for transcription and also has multiple
	alternatively spliced variants.
	Alias Symbols: FLJ30973, GRINL1A, Gcom2, Gup1, Gup2, MGC126694, MGC138353, gcom,
	MYZAP-POLR2M  Protein Size: 445
Molecular Weight:	52 kDa
Gene ID:	145781
NCBI Accession:	NM_001018091, NP_001018101
UniProt:	Q6EES4
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 445 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %
	sucrose.
Preservative:	Sodium azide

### Handling

Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Images**



#### **Western Blotting**

Image 1. WB Suggested Anti-Gcom1 Antibody Titration:

0.2-1 ug/ml

Positive Control: 721\_B cell lysate