
antibodies - online.com







anti-FAM114A2 antibody (C-Term)



Image



Overview

| Quantity: | 100 μL |
|----------------------|---|
| Target: | FAM114A2 |
| Binding Specificity: | C-Term |
| Reactivity: | Human, Mouse, Horse, Cow, Rabbit, Dog, Guinea Pig, Rat, Zebrafish (Danio rerio) |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This FAM114A2 antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| Sequence: | GVREKADVLN PVITAVFLEA SNSASYIQDA FQLLLPVLQI SLIESKTESS |
|-----------------------|---|
| Predicted Reactivity: | Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100% |
| Characteristics: | This is a rabbit polyclonal antibody against Fam114a2. It was validated on Western Blot. |
| Purification: | Affinity Purified |

Target Details

| Target: | FAM114A2 |
|-------------------|---|
| Alternative Name: | Fam114a2 (FAM114A2 Products) |
| Background: | The function of this protein remains unknown. |

Target Details

| | Alias Symbols: 1810073G14Rik, 9030624B09Rik, RP23-206L21.2 Protein Size: 490 |
|-------------------|--|
| Molecular Weight: | 54 kDa |
| Gene ID: | 67726 |
| NCBI Accession: | NM_026342, NP_080618 |
| UniProt: | Q8VE88 |

Application Details

| Application Notes: | Optimal working dilutions should be determined experimentally by the investigator. |
|--------------------|--|
| Comment: | Antigen size: 490 AA |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|---|
| Concentration: | Lot specific |
| Buffer: | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -20 °C |
| Storage Comment: | For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. |

90 kDa__ 65 kDa__ 40 kDa__ 29 kDa__

Western Blotting

Image 1. WB Suggested Anti-Fam114a2 Antibody
Titration: 1.0 ug/ml Positive Control: Mouse Pancreas