



[Go to Product page](#)

Datasheet for ABIN2785004  
**anti-FAM83F antibody (N-Term)**

2 Images

Overview

Quantity:	100 µL
Target:	FAM83F
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Dog, Guinea Pig, Horse, Rabbit, Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAM83F antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human FAM83F
Sequence:	KDEKAPHLKQ VVRQMIQQAQ KVIAVVMDLF TDGDIFQDIV DAACKRRVPV
Predicted Reactivity:	Cow: 93%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 86%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against FAM83F. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	FAM83F
---------	--------

## Target Details

---

Alternative Name:	FAM83F ( <a href="#">FAM83F Products</a> )
Background:	The exact function of FAM83F remains unknown. Alias Symbols: - Protein Interaction Partner: ELAVL1, UBC, MME, Protein Size: 500
Molecular Weight:	55 kDa
Gene ID:	113828
NCBI Accession:	<a href="#">NM_138435</a> , <a href="#">NP_612444</a>
UniProt:	<a href="#">Q8NEG4</a>

## Application Details


---

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 500 AA
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.




#### Western Blotting

**Image 1.** WB Suggested Anti-FAM83F

Antibody Titration: 0.2-1 µg/mL

Positive Control: Human Placenta



#### Western Blotting

**Image 2. WB Suggested Anti-FAM83F Antibody Titration:**

0.2-1 ug/ml

**Positive Control:** Human Placenta