

Datasheet for ABIN2785012
anti-WDR92 antibody (Middle Region)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	WDR92
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Pig, Rabbit, Cow, Horse, Zebrafish (Danio rerio), Dog, Guinea Pig, Saccharomyces cerevisiae
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WDR92 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide corresponding to a region of Mouse
Sequence:	NMEPAQGENK RDCWTVAFGN AYNQEERVVC AGYDNGDIKL FDLRNMSLRW
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Yeast: 91%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against Wdr92. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	WDR92
---------	-------

Target Details

Alternative Name:	Wdr92 (WDR92 Products)
Background:	Wdr92 seems to act as a modulator of apoptosis. Alias Symbols: AI553587, HZGJ, RP23-32H19.3 Protein Size: 357
Molecular Weight:	39 kDa
Gene ID:	103784
NCBI Accession:	NM_178909 , NP_849240
UniProt:	Q8BGF3

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 357 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Rabbit Anti-Wdr92 Antibody
Catalog Number: ARP52615
Lot Number: QC28863
Lane: Mouse Small Intestine Lysate

Antibody Titration: 1.0µg/ml
Gel Concentration: 12%

Western Blotting

Image 1.