

Datasheet for ABIN2785092
anti-STK32B antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	STK32B
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Dog, Guinea Pig, Horse, Rabbit, Zebrafish (Danio rerio), Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STK32B antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide corresponding to a region of Mouse
Sequence:	VERDEVNRNVF RELQIMQGLE HPFLVNLWYS FQDEEDMFMV VDLLLGGLDLR
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against Stk32b. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	STK32B
Alternative Name:	Stk32b (STK32B Products)

Target Details

Background: The function of this protein remains unknown.
Alias Symbols: 2510009F08Rik, STKG6, Stk32, YANK2
Protein Size: 414

Molecular Weight: 46 kDa

Gene ID: 64293

NCBI Accession: [NM_022416](#), [NP_071861](#)

UniProt: [Q9JJX8](#)

Application Details

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

Comment: Antigen size: 414 AA

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: Lot specific

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -20 °C

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Western Blotting

Image 1.



Rabbit Anti-Stk32b Antibody
Catalog Number: ARP52785
Lot Number: QC25449
Lane: Mouse Brain Lysate

Antibody Titration: 1.0µg/ml
Gel Concentration: 12%