

# Datasheet for ABIN2785265 anti-FBXL16 antibody (N-Term)

# 1 Image



#### Overview

Quantity:	100 μL
Target:	FBXL16
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Dog, Cow, Guinea Pig, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FBXL16 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human FBXL16
Sequence:	PPPTLPPPSL AAPLSRAALA GGPCTPAGGP ASALAPGHPA ERPPLATDEK
Predicted Reactivity:	Cow: 93%, Dog: 86%, Guinea Pig: 93%, Horse: 92%, Human: 100%, Mouse: 86%, Rat: 93%
Characteristics:	This is a rabbit polyclonal antibody against FBXL16. It was validated on Western Blot.
Purification:	Affinity Purified
Target Details	
Target:	FBXL16
Alternative Name:	FBXL16 (FBXL16 Products)

### **Target Details**

rarger Details	
Background:	Members of the F-box protein family, such as FBXL16, are characterized by an approximately
	40-amino acid F-box motif. SCF complexes, formed by SKP1 (MIM 601434), cullin (see CUL1,
	MIM 603134), and F-box proteins, act as protein-ubiquitin ligases. F-box proteins interact with
	SKP1 through the F box, and they interact with ubiquitination targets through other protein
	interaction domains (Jin et al., 2004 [PubMed 15520277]).
	Alias Symbols: C16orf22, FLJ33735, Fbl16, MGC33974, c380A1.1
	Protein Interaction Partner: HPCAL4, LATS2, MAPK6,
	Protein Size: 479
Molecular Weight:	52 kDa
Gene ID:	146330
NCBI Accession:	NM_153350, NP_699181
UniProt:	Q8N461
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 479 AA
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### FBXL16



Blue: DAPI

See IHC 2 Data and Customer Feedback for more Information

#### **Immunohistochemistry**

Image 1. Researcher: Dr. Yuzhi Chen, University of Arkansas for Medical ScienceApplication: IHCSpecies+tissue/cell type: Human brain stem cells (NT2) Primary Antibody

dilution: 1:500

Secondary Antibody: Goat anti-rabbit Alexa Fluor 594

Secondary Antibody Dilution: 1:0000