
antibodies - online.com







anti-EFCAB3 antibody (N-Term)





\sim	
()\/\	rview
\cup	

Quantity:	100 μL
Target:	EFCAB3
Binding Specificity:	N-Term
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EFCAB3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human
	EFCAB3
Sequence:	EFCAB3 MAVSEIKPKL KLNPLTKVPI SHNKRDRDLP GSLQCQLQHK EKKLSASQMA
Sequence: Predicted Reactivity:	
·	MAVSEIKPKL KLNPLTKVPI SHNKRDRDLP GSLQCQLQHK EKKLSASQMA
Predicted Reactivity:	MAVSEIKPKL KLNPLTKVPI SHNKRDRDLP GSLQCQLQHK EKKLSASQMA Human: 100%, Rat: 77%
Predicted Reactivity: Characteristics:	MAVSEIKPKL KLNPLTKVPI SHNKRDRDLP GSLQCQLQHK EKKLSASQMA Human: 100%, Rat: 77% This is a rabbit polyclonal antibody against EFCAB3. It was validated on Western Blot.
Predicted Reactivity: Characteristics: Purification:	MAVSEIKPKL KLNPLTKVPI SHNKRDRDLP GSLQCQLQHK EKKLSASQMA Human: 100%, Rat: 77% This is a rabbit polyclonal antibody against EFCAB3. It was validated on Western Blot.

Target Details


Background:	The function of the protein remains unknown.
	Alias Symbols: FLJ25818, MGC126801, MGC126827
	Protein Size: 438
Molecular Weight:	50 kDa
Gene ID:	146779
NCBI Accession:	NM_173503, NP_775774
UniProt:	Q8N7B9

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 438 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-EFCAB3 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:1562500 Positive Control: NCI-H226 cell lysate