antibodies - online.com







anti-Pcp2 antibody (N-Term)





Go	to	Prod	luct	page
				P - 5

\sim		
()\/(2rv/	iew
UV	-1 V	IUVV

Quantity:	100 μL
Target:	Pcp2 (PCP2)
Binding Specificity:	N-Term
Reactivity:	Mouse, Human, Cow, Dog, Guinea Pig, Horse, Pig, Rabbit, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Pcp2 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Sequence:	MMDQEEKTEE GSGPCAEAGS PDQEGFFNLL SHVQGDRMEG QRCSLQAGPG
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 83%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against PCP2. It was validated on Western Blot.
Purification:	Affinity Purified

Target Details

Target:	Pcp2 (PCP2)
Alternative Name:	PCP2 (PCP2 Products)
Background:	PCP2 may function as a cell-type specific modulator for G protein-mediated cell signaling.

Target Details

	Alias Symbols: DKFZp686M0187, FLJ27345, GPSM4, L7, MGC41903	
	Protein Interaction Partner: BAG3,	
	Protein Size: 136	
Molecular Weight:	14 kDa	
Gene ID:	126006	
NCBI Accession:	NM_174895, NP_777555	
UniProt:	Q8IVA1	

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 136 AA	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

60 kDa__ 40 kDa__ 31 kDa__ 22 kDa__ 10 kDa__

Rabbit Anti-PCP2 Antibody Catalog Number: ARP53294

Lot Number: QC21419 Lane: MCF7 Cell Lysate

Antibody Titration: 1.0µg/ml Gel Concentration: 10-20%

Western Blotting

Image 1.