

Datasheet for ABIN2785626 anti-ACADS antibody (N-Term)

1 Image



Go to Product page

\sim			
()\	/ e	rVI	iew

Quantity:	100 μL	
Target:	ACADS (Acads)	
Binding Specificity:	N-Term	
Reactivity:	Human, Mouse, Rat, Horse, Rabbit, Guinea Pig, Zebrafish (Danio rerio), Cow, Dog, Pig	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ACADS antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ACADS	
Sequence:	ASTGVIMSVN NSLYLGPILK FGSKEQKQAW VTPFTSGDKI GCFALSEPGN	
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 93%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 93%	
Characteristics:	This is a rabbit polyclonal antibody against ACADS. It was validated on Western Blot using a cell lysate as a positive control.	
Purification:	Affinity Purified	
Target Details		
Target:	ACADS (Acads)	


Target Details

Alternative Name:	ACADS (Acads Products)	
Background:	ACADS is a a tetrameric mitochondrial flavoprotein, which is a member of the acyl-CoA	
	dehydrogenase family. This enzyme catalyzes the initial step of the mitochondrial fatty acid	
	beta-oxidation pathway. Mutations in this gene have been associated with Short Chain Acyl-	
	CoA Dehydrogenase Deficiency. This gene encodes a a tetrameric mitochondrial flavoprotein,	
	which is a member of the acyl-CoA dehydrogenase family. This enzyme catalyzes the initial	
	step of the mitochondrial fatty acid beta-oxidation pathway. Mutations in this gene have been	
	associated with Short Chain Acyl-CoA Dehydrogenase Deficiency. Publication Note: This	
	RefSeq record includes a subset of the publications that are available for this gene. Please see	
	the Entrez Gene record to access additional publications.	
	Alias Symbols: ACAD3, SCAD	
	Protein Interaction Partner: IRF7,	
	Protein Size: 412	
Molecular Weight:	42 kDa	
Gene ID:	35	
NCBI Accession:	NM_000017, NP_000008	
UniProt:	P16219	
Pathways:	Monocarboxylic Acid Catabolic Process	
Application Details		
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 412 AA	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	

Handling

	should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images



Western Blotting

Image 1. WB Suggested Anti-ACADS Antibody Titration:

0.2-1 ug/ml

ELISA Titer: 1:500

Positive Control: 721_B cell lysate