# antibodies -online.com





# anti-GALE antibody (Middle Region)

2 Images



Go to Product page

### Overview

| Quantity:            | 100 μL                                   |
|----------------------|--|
| Target:              | GALE                                     |
| Binding Specificity: | Middle Region                            |
| Reactivity:          | Human, Rat, Dog, Pig, Rabbit, Cow, Horse |
| Host:                | Rabbit                                   |
| Clonality:           | Polyclonal                               |
| Conjugate:           | This GALE antibody is un-conjugated      |
| Application:         | Western Blotting (WB)                    |

# **Product Details**

| Immunogen:            | The immunogen is a synthetic peptide directed towards the middle region of human GALE |
|-----------------------|---|
| Sequence:             | PQGIPNNLMP YVSQVAIGRR EALNVFGNDY DTEDGTGVRD YIHVVDLAKG                                |
| Predicted Reactivity: | Cow: 100%, Dog: 100%, Horse: 100%, Human: 100%, Pig: 100%, Rabbit: 100%, Rat: 93%     |
| Characteristics:      | This is a rabbit polyclonal antibody against GALE. It was validated on Western Blot.  |
| Purification:         | Affinity Purified   |

# Target Details

| Target:           | GALE   |
|-------------------|--|
| Alternative Name: | GALE (GALE Products)   |
| Background:       | GALE is an UDP-galactose-4-epimerase which catalyzes two distinct but analogous reactions: |

the epimerization of UDP-glucose to UDP-galactose, and the epimerization of UDP-N-acetylgalactosamine. The bifunctional nature of the enzyme has the important metabolic consequence that mutant cells (or individuals) are dependent not only on exogenous galactose, but also on exogenous N-acetylgalactosamine as a necessary precursor for the synthesis of glycoproteins and glycolipids. Mutations in this gene result in epimerase-deficiency galactosemia, also referred to as galactosemia type 3, a disease characterized by liver damage, early-onset cataracts, deafness and mental retardation, with symptoms ranging from mild ('peripheral' form) to severe ('generalized' form).

Alias Symbols: SDR1E1

Protein Interaction Partner: GALE, SUMO2, UBC, BAG3, FN1, APP,

Protein Size: 348

| Molecular Weight: | 38 kDa   |
|-------------------|--|
| Gene ID:          | 2582   |
| NCBI Accession:   | NM_001008216, NP_001008217                                       |
| UniProt:          | Q14376   |
| Pathways:         | Response to Water Deprivation, Cellular Glucan Metabolic Process |

### **Application Details**

| Application Notes: | Optimal working dilutions should be determined experimentally by the investigator. |
|--------------------|--|
| Comment:           | Antigen size: 348 AA   |
| Restrictions:      | For Research Use only  |


# Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | Lot specific   |
| Buffer:            | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.                    |
| Preservative:      | Sodium azide   |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Handling Advice:   | Avoid repeated freeze-thaw cycles.   |

# Handling

| Storage:         | -20 °C  |
|------------------|---|
| Storage Comment: | For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles. |
| lmages           |   |

# Images




# **Western Blotting**

Image 1. WB Suggested Anti-GALE Antibody Titration: 0.2-

1 ug/ml

**ELISA Titer:** 1:312500

Positive Control: Transfected 293T



Rabbit Anti-GALE Antibody
Catalog Number: ARP54394
Lot Number: QC27025

Lane: Transfected 293T Cell Lysate

Antibody Titration: 0.5µg/ml Gel Concentration: 12%

# **Western Blotting**

Image 2. WB Suggested Anti-GALE

Antibody Titration: 0.2-1 µg/mL ELISA Titer: 1:.12500

Positive Control: Transfected 293T