

Datasheet for ABIN2785759
anti-TMEM184A antibody (C-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	TMEM184A
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Guinea Pig, Horse, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TMEM184A antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human TMEM184A
Sequence:	CQVYAEKKEN SPAPPAPMQS ISSGIRETVS PQDIVQDAIH NFSPAYQHYT
Predicted Reactivity:	Dog: 93%, Guinea Pig: 86%, Horse: 79%, Human: 100%, Mouse: 79%, Rat: 86%
Characteristics:	This is a rabbit polyclonal antibody against TMEM184A. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	TMEM184A
---------	----------

Target Details


Alternative Name:	TMEM184A (TMEM184A Products)
Background:	<p>TMEM184A is a multi-pass membrane proteinPotential. It belongs to the UPF0206 family. The exact function of TMEM184A remains unknown.</p> <p>Alias Symbols: FLJ24011, MGC9712</p> <p>Protein Interaction Partner: RCHY1,</p> <p>Protein Size: 413</p>
Molecular Weight:	46 kDa
Gene ID:	202915
NCBI Accession:	NM_001097620 , NP_001091089
UniProt:	Q6ZMB5

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 413 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-TMEM184A Antibody

Titration: 0.2-1 ug/ml

Positive Control: Human Placenta