antibodies -online.com





anti-GNAI2 antibody (C-Term)

2 Images



Go to Product page

()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	1 V I	ew

Quantity:	100 μL	
Target:	GNAI2	
Binding Specificity:	C-Term	
Reactivity:	Human, Mouse, Rat, Cow, Guinea Pig, Dog, Goat, Horse, Rabbit, Sheep, Zebrafish (Danio rerio)	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GNAI2 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human GNAI2	
Sequence:	EYTGANKYDE AASYIQSKFE DLNKRKDTKE IYTHFTCATD TKNVQFVFDA	
Predicted Reactivity:	Cow: 100%, Dog: 93%, Goat: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Sheep: 100%, Zebrafish: 93%	
Characteristics:	This is a rabbit polyclonal antibody against GNAI2. It was validated on Western Blot using a cell lysate as a positive control.	
Purification:	Affinity Purified	
Target Details		
Target:	GNAI2	


Target Details

Alternative Name:	GNAI2 (GNAI2 Products)	
Background:	Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in	
	various transmembrane signaling systems. The G(i) proteins are involved in hormonal	
	regulation of adenylate cyclase: they inhibit the cyclase in response to beta-adrenergic stimuli.	
	Alias Symbols: GIP, GNAI2B, H_LUCA15.1, H_LUCA16.1	
	Protein Interaction Partner: NOTCH2NL, KRTAP10-8, KRT40, GPSM3, RGS20, UBC, TRIP6, MDFI,	
	KRT31, SUMO2, RNF2, GCLM, GDI1, NAGK, SCRN1, LTB4R, ESR1, ATP4A, Rgs13, RGS3, PAN2,	
	NPM1, NCF2, MTNR1A, HSP90AB1, HSP90AA1, CFTR, MYH10, GNB1, GNAI3, GNAI1, CYSTM1,	
	ERGIC1, CORO1C, DHX30, SRSF1,	
	Protein Size: 355	
Molecular Weight:	40 kDa	
Gene ID:	2771	
NCBI Accession:	NM_002070, NP_002061	
UniProt:	P04899	
Pathways:	cAMP Metabolic Process, G-protein mediated Events, Thromboxane A2 Receptor Signaling	
Application Details		
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 355 AA	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %	
	sucrose.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
	Avoid repeated freeze-thaw cycles.	

Handling

Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images



Western Blotting


Image 1. Sample Type: Nthy-ori cell lysate (50ug)

Primary Dilution: 1:1000

Secondary Antibody: anti-rabbit HRP

Secondary Dilution: 1:2000

Image Submitted By: Anonymous



Western Blotting

Image 2. WB Suggested Anti-GNAI2 Antibody Titration:

0.2-1 ug/ml

ELISA Titer: 1:62500

Positive Control: Human Lung