antibodies -online.com





anti-PIK3R5 antibody (N-Term)





Go to Product page

_						
0	V	0	r٧	/[Θ	M

Quantity:	100 μL		
Target:	PIK3R5		
Binding Specificity:	N-Term		
Reactivity:	Human, Mouse, Rat, Dog, Rabbit, Guinea Pig, Horse, Cow, Zebrafish (Danio rerio)		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This PIK3R5 antibody is un-conjugated		
Application:	Western Blotting (WB)		
Product Details			
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human PIK3R5		
Sequence:	HRFLTWPVPY CSICQELLTF IDAELKAPGI SYQRLVRAEQ GLPIRSHRSS		
Predicted Reactivity:	Cow: 92%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 85%		
Characteristics:	This is a rabbit polyclonal antibody against PIK3R5. It was validated on Western Blot using a cell lysate as a positive control.		
Purification:	Affinity Purified		
Target Details			
Target:	PIK3R5		


Target Details

rnative Name:	PIK3R5 (PIK3R5 Products)	
kground:	Receptor-regulated class I phosphoinositide 3-kinases (PI3Ks) phosphorylate the membrane	
	lipid phosphatidylinositol 4,5-bisphosphate (Ptdlns(4,5)P2) to Ptdlns(3,4,5)P3, which in turn	
	recruits and activates cytosolic effectors involved in proliferation, survival, or chemotaxis.	
	PIK3R5 is a PI3K regulatory subunit.Receptor-regulated class I phosphoinositide 3-kinases	
	(PI3Ks) phosphorylate the membrane lipid phosphatidylinositol 4,5-bisphosphate	
	(PtdIns(4,5)P2) to PtdIns(3,4,5)P3, which in turn recruits and activates cytosolic effectors	
	involved in proliferation, survival, or chemotaxis. PIK3R5 is a PI3K regulatory subunit (Brock e	
	al., 2003 [PubMed 12507995]).[supplied by OMIM]. Sequence Note: removed 2 bases from the	
	3' end that did not align to the reference genome assembly. PRIMARYREFSEQ_SPAN	
	PRIMARY_IDENTIFIER PRIMARY_SPAN COMP 1-3253 AF128881.1 1-3253	
	Alias Symbols: F730038I15Rik, F0AP-2, P101-PI3K, p101	
	Protein Interaction Partner: APP, UBC, SDHB, PIK3CG,	
	Protein Size: 880	
ecular Weight:	97 kDa	
e ID:	23533	
Il Accession:	NM_014308, NP_055123	
Prot:	Q8WYR1	
nways:	PI3K-Akt Signaling, Inositol Metabolic Process, Hepatitis C, VEGF Signaling	
olication Details		
lication Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
nment:	Antigen size: 880 AA	
crictions:	For Research Use only	
ndling		
nat:	Liquid	
centration:	Lot specific	
er:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %	
	sucrose.	
servative:	Sodium azide	
	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.	

Handling

Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images




Western Blotting

Image 1. WB Suggested Anti-PIK3R5 Antibody Titration:

0.2-1 ug/ml

ELISA Titer: 1:1562500

Positive Control: Human Placenta




Western Blotting

Image 2. Host: Rabbit

Target Name: PIK3R5

Sample Tissue: Human Fetal Brain

Antibody Dilution: 1.0 µg/mL



Western Blotting

Image 3. Host: Rabbit Target Name: PIK3R5

Sample Tissue: Human Fetal Lung

Antibody Dilution: 1.0 µg/mL

Please check the product details page for more images. Overall 4 images are available for ABIN2786003.