



[Go to Product page](#)

Datasheet for ABIN2786137

anti-CCDC69 antibody (Middle Region)

1 Image

1 Publication

Overview

Quantity:	100 µL
Target:	CCDC69
Binding Specificity:	Middle Region
Reactivity:	Human, Rat, Cow, Guinea Pig, Dog, Horse, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCDC69 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human CCDC69
Sequence:	TREALEKEVQ LRRQLQEQE ELLYRVLGAN ASPAFPLAPV TPTEVSFLAT
Predicted Reactivity:	Cow: 86%, Dog: 93%, Guinea Pig: 79%, Horse: 93%, Human: 100%, Pig: 93%, Rat: 90%
Characteristics:	This is a rabbit polyclonal antibody against CCDC69. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	CCDC69
Alternative Name:	CCDC69 (CCDC69 Products)

Target Details

Background: The function of CCDC69 remains unknown.
Alias Symbols: DKFZP434C171, FLJ13705
Protein Interaction Partner: PSMA3, ZAK,
Protein Size: 296

Molecular Weight: 35 kDa

Gene ID: 26112

NCBI Accession: [NM_015621](#), [NP_056436](#)

UniProt: [A6NI79](#)

Application Details

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

Comment: Antigen size: 296 AA

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: Lot specific

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeated freeze-thaw cycles.


Storage: -20 °C

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Publications

Product cited in: Suzuki, Yoshitomo-Nakagawa, Maruyama, Suyama, Sugano: "Construction and characterization of a full length-enriched and a 5'-end-enriched cDNA library." in: **Gene**, Vol. 200, Issue 1-2, pp.

149-56, (1997) ([PubMed](#)).



Western Blotting

Image 1. WB Suggested Anti-CCDC69 Antibody Titration:

0.2-1 ug/ml

ELISA Titer: 1:1562500

Positive Control: 293T cell lysate