.-online.com antibodies

Datasheet for ABIN2786465 anti-PRAME antibody (N-Term)

1 Image

1 Publication



Overview

Quantity:	100 µL
Target:	PRAME
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Horse, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PRAME antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human
	ΡΡΔΜΕ

	PRAME	
Sequence:	MERRRLWGSI QSRYISMSVW TSPRRLVELA GQSLLKDEAL AIAALELLPR	
Predicted Reactivity:	Cow: 86%, Horse: 93%, Human: 100%, Mouse: 79%, Pig: 86%, Rat: 85%	
Characteristics:	This is a rabbit polyclonal antibody against PRAME. It was validated on Western Blot using a cell lysate as a positive control.	
Purification:	Affinity Purified	
Target Details		

Target:

PRAME

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2786465 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	PRAME (PRAME Products)
Background:	 PRAME functions as a transcriptional repressor, inhibiting the signaling of retinoic acid through the retinoic acid receptors RARA, RARB and RARG. PRAME prevents retinoic acid-induced cell proliferation arrest, differentiation and apoptosis. This gene encodes an antigen that is predominantly expressed in human melanomas and that is recognized by cytolytic T lymphocytes. It is not expressed in normal tissues, except testis. This expression pattern is similar to that of other CT antigens, such as MAGE, BAGE and GAGE. However, unlike these other CT antigens, this gene is also expressed in acute leukemias. Five alternatively spliced transcript variants encoding the same protein have been observed for this gene. Alias Symbols: MAPE, OIP4, CT130 Protein Interaction Partner: PRAME, RBX1, CUL2, TCEB2, TCEB1, ZNF408, FBXL12, XRN2, HIST4H4, HIST2H2BE, HIST2H2AC, HIST3H3, UBC, RARA, TP53RK, OSGEP, TPRKB, KDM1A, BAG2, LAGE3, UBL4A, SNRPB, RPS13, RPL22, RPL10, RFC4, PSMC4, HNRNPM, HNRNPH1, HNRNPF, HNRNPC, NEDD8, STK19, Protein Size: 509
Molecular Weight:	56 kDa
Gene ID:	23532
NCBI Accession:	NM_006115, NP_006106
UniProt:	P78395
Pathways:	Retinoic Acid Receptor Signaling Pathway, Nuclear Hormone Receptor Binding
Application Details	
Annlingting Nature	Optimal working dilutions should be determined experimentally by the investigator

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 509 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN2786465 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

1.1		
	lond	lina
	land	
	10110	

Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Publications	

Product cited in:	Stutchbury, Al-Ejeh, Stillfried, Croucher, Andrews, Irving, Links, Ranson: "Preclinical evaluation of
	213Bi-labeled plasminogen activator inhibitor type 2 in an orthotopic murine xenogenic model
	of human breast carcinoma." in: Molecular cancer therapeutics, Vol. 6, Issue 1, pp. 203-12, (
	2007) (PubMed).

Images



Western	Blotting
Western	Diotting

Image 1. WB Suggested Anti-PRAME Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:1562500 Positive Control: Human brain