

## Datasheet for ABIN2786550

# anti-NRARP antibody (Middle Region)





Go to Product page

_			
	IVe	rv	iew

Quantity:	100 μL
Target:	NRARP
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Pig, Cow, Dog, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NRARP antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human NRARP
Sequence:	QNMTNCEFNV NSFGPEGQTA LHQSVIDGNL ELVKLLVKFG ADIRLANRDG
Predicted Reactivity:	Cow: 100%, Dog: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rat: 100%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against NRARP. It was validated on Western Blot using a cell lysate as a positive control.
Durification	
Purification:	Affinity Purified
Target Details	
Target:	NRARP
Alternative Name:	NDADD (NDADD Dradusta)
Alternative Name.	NRARP (NRARP Products)

#### **Target Details**


Background:	NRARP may play a role in the formation of somites.
	Alias Symbols: MGC61598
	Protein Interaction Partner: IKBKG,
	Protein Size: 114
Molecular Weight:	12 kDa
Gene ID:	441478
NCBI Accession:	NM_001004354, NP_001004354
UniProt:	Q7Z6K4

### **Application Details**

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 114 AA	
Restrictions:	For Research Use only	

### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



#### **Western Blotting**

Image 1. WB Suggested Anti-NRARP Antibody Titration:

0.2-1 ug/ml

**ELISA Titer:** 1:312500

Positive Control: HepG2 cell lysate