

Datasheet for ABIN2786567  
**anti-DALRD3 antibody (Middle Region)**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µL
Target:	DALRD3
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Rabbit, Guinea Pig, Horse, Cow, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DALRD3 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human DALRD3
Sequence:	TEIFGVLSVA TIKFEMLSTA PQSQLFLALA DSSISTKGTK SGTFVMYNCA
Predicted Reactivity:	Cow: 93%, Dog: 93%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 86%, Rabbit: 100%, Rat: 86%
Characteristics:	This is a rabbit polyclonal antibody against DALRD3. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

## Target Details

Target:	DALRD3
---------	--------

### Target Details


Alternative Name:	DALRD3 ( <a href="#">DALRD3 Products</a> )
Background:	<p>The specific function of this protein remains unknown.</p> <p>Alias Symbols: FLJ10496</p> <p>Protein Interaction Partner: HNRNPK, UBC, BRCA1, TK1, CSNK2B,</p> <p>Protein Size: 543</p>
Molecular Weight:	59 kDa
Gene ID:	55152
NCBI Accession:	<a href="#">NM_001009996</a> , <a href="#">NP_001009996</a>
UniProt:	<a href="#">Q5D0E6</a>

### Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 543 AA
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

**Image 1. WB Suggested Anti-DALRD3 Antibody Titration:**

0.2-1 ug/ml

**ELISA Titer:** 1:62500

**Positive Control:** HepG2 cell lysate