

Datasheet for ABIN2786826

anti-Septin 2 antibody (Middle Region)





Overview

O V CI VICVV	
Quantity:	100 μL
Target:	Septin 2 (SEPT2)
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Cow, Guinea Pig, Horse, Rabbit, Dog, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Septin 2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human SEPT2
Sequence:	LQEVTQDLHY ENFRSERLKR GGRKVENEDM NKDQILLEKE AELRRMQEMI
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100%
Characteristics:	This is a rabbit polyclonal antibody against SEPT2. It was validated on Western Blot using a cel lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	Septin 2 (SEPT2)

Target Details

Alternative Name:	SEPT2 (SEPT2 Products)
Background:	SEPT2 is required for normal progress through mitosis. SEPT2 is involved in cytokinesis.
	Alias Symbols: DIFF6, KIAA0158, NEDD5, Pnutl3, hNedd5
	Protein Interaction Partner: SEPT5, PLEKHF2, SEPT6, UBC, NEDD8, SEPT11, SNX24, COPE,
	DDB2, COPA, SEPT7, FN1, CSNK2A1, TRA2B, SRSF7, SRSF5, SRSF3, PSMC6, HNRNPM, MYL1,
	HNRNPU, GTF3C1, EEF1A1, ZNF326, ZC3H18, VASN, TRIM55, DYNLRB1, KLC2, TRA2A,
	SRRM2, ADNP, NCSTN, ACIN1, U2AF2, UTP14A,
	Protein Size: 361
Molecular Weight:	41 kDa
Gene ID:	4735
NCBI Accession:	NM_006155, NP_006146
UniProt:	Q15019

Application Details

Application Notes:

Comment:	Antigen size: 361 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small

Optimal working dilutions should be determined experimentally by the investigator.

aliquots to prevent freeze-thaw cycles.

90 kDa__ 65 kDa__ 40 kDa__ 31 kDa__ 22 kDa__

Western Blotting

Image 1. WB Suggested Anti-SEPT2 Antibody Titration:

0.2-1 ug/ml

ELISA Titer: 1:312500

Positive Control: HepG2 cell lysate