

## Datasheet for ABIN2787002

# anti-MIER2 antibody (Middle Region)






### Overview

Quantity:	100 μL
Target:	MIER2
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Rabbit, Horse, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MIER2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human MIER2
Sequence:	RLRFNVKVIR DGLCAWSEEE CRNFEHGFRV HGKNFHLIQA NKVRTRSVGE
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 86%
Characteristics:	This is a rabbit polyclonal antibody against MIER2. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	MIER2

## **Target Details**

rarget Details	
Alternative Name:	MIER2 (MIER2 Products)
Background:	MIER2 is a transcriptional repressor.
	Alias Symbols: KIAA1193, Mi-er2
	Protein Interaction Partner: NDN, HDAC1, CDYL, HDAC2,
	Protein Size: 545
Molecular Weight:	60 kDa
Gene ID:	54531
NCBI Accession:	NM_017550, NP_060020
UniProt:	Q8N344
Pathways:	Chromatin Binding
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 545 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 %
	sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small
	aliquate to provent freeze thew evalue

aliquots to prevent freeze-thaw cycles.



#### **Western Blotting**

Image 1. WB Suggested Anti-MIER2 Antibody Titration:

0.2-1 ug/ml

**ELISA Titer:** 1:312500

Positive Control: Human Stomach