antibodies - online.com







anti-DNAAF2 antibody (N-Term)



Image



\sim	
()\/\	rview
\cup	1 410 44

Quantity:	100 μL
Target:	DNAAF2 (C14orf104)
Binding Specificity:	N-Term
Reactivity:	Human, Pig, Rat, Cow, Mouse, Dog, Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DNAAF2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human C14orf104
Sequence:	MFSQYAEELT DPENRRRYEA EITALERERG VEVRFVHPEP GHVLRTSLDG
Predicted Reactivity:	Cow: 100%, Dog: 93%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rat: 100%
Characteristics:	This is a rabbit polyclonal antibody against C14orf104. It was validated on Western Blot using a
	cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	DNAAF2 (C14orf104)

Target Details

Alternative Name:	C14orf104 (C14orf104 Products)
Background:	The function of this protein remains unknown.
	Alias Symbols: FLJ10563, KTU, CILD10, C14orf104
	Protein Interaction Partner: AIP, UBC, APP, Nedd4,
	Protein Size: 837
Molecular Weight:	91 kDa
Gene ID:	55172
NCBI Accession:	NM_018139, NP_060609
UniProt:	Q9NVR5

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 837 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

168 kDa__ 144 kDa__ 90 kDa__ 65 kDa__ 40 kDa__

Western Blotting

Image 1. WB Suggested Anti-C14orf104 Antibody

Titration: 0.2-1 ug/ml

Positive Control: Hela cell lysate